

Fit for Job

Medical & Health
Care
Pharmaceutical Industry



ABEBA®



Dear business partners,
dear customers,

in this leaflet we present to you a variety of occupational and safety shoes from the ABEBA product range which were especially designed for medical & health care and pharmaceutical industry.

Particularly in these sensitive areas the top concerns are hygiene, safety and a high degree of wearing comfort. Thanks to many years of experience we can offer you the right shoes for your demands. You'll see that a safety shoe can offer a high wearing comfort and be attractive at the same time.

Use our knowledge - day by day



see page 10,
Art. 7360



OCCUPATIONAL SHOES

theORIGINAL	THE ORIGINAL	6
theORIGINAL+	THE ORIGINAL PLUS	7
DYNAMIC	DYNAMIC	8 - 10
easy	EASY	11
arrow	ARROW	12
rubber	RUBBER	13
NATURE	NATURE	14
Reflexor	REFLEXOR	15 - 16
cushion	AIR CUSHION	17
light	LIGHT	18 - 19
uni6	UNI6	20 - 22
AUTO-CLAVABLE	AUTOCLAVABLE	23

SAFETY SHOES

Classic	CLASSIC	25
light	LIGHT	25 - 26
uni6	UNI6	27 - 28
anatom	ANATOM	29 - 30
Protektor	PROTEKTOR LINE	30
Crawler	CRAWLER	31
TECHNICAL INFORMATION		4 - 5

INFO ICONS

	STEEL TOE-CAP
	ALUMINIUM TOE-CAP
	REPLACEABLE INSOLE
	ORTHOSTAT (ORTHOTICS)
	SENSOSTAT (ORTHOTICS)
	ESD
	WASHABLE AT 30° C
	WASHABLE AT 60° C
	AUTOCLAVABLE
	HACCP-COMPLIANT
	IDENTIFICATION



ORTHOPEDIC SOLUTIONS ORTHOSTAT AND SENSTAT

Well over half of the population are seriously affected by some form of orthopedic condition which result in back, knee, ankle and foot pain.

To tackle this problem ABEBA developed in cooperation with the orthopedic company Doppler (www.doppler-online.com) the individually customized insole Orthostat and the sensorimotor insole Sensostat.

With Orthostat and Sensostat your Abeba occupational shoe or safety shoe remains certified according to EN ISO 20345:2011 or EN ISO 20347:2012 (please refer to individual article description).

ON STEAM®

On steam® is a new breathable high-tech microfiber lining with an absorption capacity of 8 times its weight in water. It offers a maximum comfort and a complete dryness for a perfect foot climate.

Technical characteristics:

- ▶ Absorbs moisture and desorbs it to the outside
- ▶ Breathable - antimicrobial - odor avoiding
- ▶ Temperature regulating
- ▶ Anti-allergy
- ▶ CO₂ neutral production
- ▶ Control of harmful substances according to Öko-Tex Standard 100



A[®]micro

A[®]micro is a new and innovative high-tech material which is especially water-resistant and breathable. It even surpasses hydrophobic leather. It is washable up to 30°C without shrinking and anti-bacterial, which is making it perfect for the use in hygienic sensitive areas. Additionally it can be equipped with various treatments such as silver ions.

Due to its special structure it is light and smooth but at the same time very tearproof and resistant. A[®]micro replicates leather visually **without** becoming yellow due to direct sunlight.

the ORIGINAL



7208 Size 35-47

CE, EN ISO 20347:2012 OB, FO, SRC
smooth leather white // sole with high slip resistance //
insole leather // heel strap non-foldable, removable // instep
strap adjustable // lining extremely soft microfiber with Silver
Point // heel cushion



7209 Size 35-47

CE, EN ISO 20347:2012 OB, FO, SRC
smooth leather black // sole with high slip resistance //
insole leather // heel strap non-foldable, removable // instep
strap adjustable // lining extremely soft microfiber with Silver
Point // heel cushion



7031 Size 35-47

CE, EN ISO 20347:2012 OB, FO, SRC
smooth leather black // sole with high slip resistance // insole
leather // heel strap foldable, adjustable



7021 Size 35-47

CE, EN ISO 20347:2012 OB, FO, SRC
smooth leather white // sole with high slip resistance // insole
leather // heel strap foldable, adjustable



7204 Size 35-47

CE, EN ISO 20347:2012 OB, FO, SRC
smooth leather white with pattern // sole with high slip
resistance // insole leather // heel strap foldable, adjustable //
heel cushion




the ORIGINAL +



7521 Size 36-42

 micro

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
microfiber white // TPU sole with high slip resistance // heel
patch microfiber // heel strap foldable, adjustable



7531 Size 36-42

 micro

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
microfiber black // TPU sole with high slip resistance // heel
patch microfiber // heel strap foldable, adjustable



7520 Size 36-42  micro

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
microfiber white, perforated // TPU sole with high slip
resistance // heel patch microfiber // heel strap foldable,
adjustable



7530 Size 36-42  micro

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
microfiber black, perforated // TPU sole with high slip
resistance // heel patch microfiber // heel strap foldable,
adjustable



DYNAMIC



7310 Size 35-48

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
smooth leather white with print // TPU sole with high slip resistance // replaceable acc Wave insole (art. 3574) // heel strap foldable, adjustable



7312 Size 35-48

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
smooth leather white/ blue with print // TPU sole with high slip resistance // replaceable acc Wave insole (art. 3574) // heel strap foldable, adjustable



7313 Size 35-48

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
smooth leather white/ red with print // TPU sole with high slip resistance // replaceable acc Wave insole (art. 3574) // heel strap foldable, adjustable



 **A[®]micro**

A[®]micro is a new and innovative high-tech material which is especially water-resistant and breathable. It even surpasses hydrophobic leather. It is washable up to 30°C without shrinking and anti-bacterial, which is making it perfect for the use in hygienic sensitive areas. Additionally it can be equipped with various treatments such as silver ions.

Due to its special structure it is light and smooth but at the same time very tearproof and resistant. **A[®]micro** replicates leather visually **without** becoming yellow due to direct sunlight.



7335 Size 35-48



CE, EN ISO 20347:2012 OB, A, E, FO, SRC
microfiber white/ black // seamless upper // TPU sole with
high slip resistance // replaceable acc Wave insole (art.
3574) // heel strap non-foldable, adjustable



7332 Size 35-48



CE, EN ISO 20347:2012 OB, A, E, FO, SRC
microfiber black/ red // seamless upper // TPU sole with high
slip resistance // replaceable acc Wave insole (art. 3574) //
heel strap non-foldable, adjustable



3733 Size 35-48



CE, EN ISO 20347:2012 OB, A, E, FO, SRC
microfiber black/ yellow // seamless upper // TPU sole with
high slip resistance // replaceable acc Wave insole (art. 3574) //
heel strap non-foldable, adjustable // ESD dissipative according
to EN 61340



7331 Size 35-48



CE, EN ISO 20347:2012 OB, A, E, FO, SRC
microfiber black/ blue // seamless upper // TPU sole with high
slip resistance // replaceable acc Wave insole (art. 3574) // heel
strap non-foldable, adjustable





7360 Size 35-48

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
microfiber white // TPU sole with high slip resistance //
replaceable acc Wave insole (art. 3574) // heel strap non-foldable, adjustable



7362 Size 35-48

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
microfiber grey/ blue // TPU sole with high slip resistance //
replaceable acc Wave insole (art. 3574) // heel strap non-foldable, adjustable



7363 Size 35-48

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
microfiber grey/ red // TPU sole with high slip resistance //
replaceable acc Wave insole (art. 3574) // heel strap non-foldable, adjustable



7365 Size 35-48

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
microfiber grey/ black // TPU sole with high slip resistance //
replaceable acc Wave insole (art. 3574) // heel strap non-foldable, adjustable



7364 Size 35-48

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
microfiber grey/ yellow // TPU sole with high slip resistance //
replaceable acc Wave insole (art. 3574) // heel strap non-foldable, adjustable



easy



7621

Size 35-43

micro

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
microfiber patent black // TPU sole with high slip resistance //
replaceable acc Wave insole (art. 3573) // heel strap non-foldable, adjustable



7622

Size 35-48

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
smooth leather white/ blue // TPU sole with high slip resistance //
replaceable acc Wave insole (art. 3573) // heel strap non-foldable, adjustable



7623

Size 35-43

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
smooth leather white/ red // TPU sole with high slip resistance //
replaceable acc Wave insole (art. 3573) // heel strap non-foldable, adjustable



7620

Size 35-43

micro

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
microfiber patent white // TPU sole with high slip resistance //
replaceable acc Wave insole (art. 3573) // heel strap non-foldable, adjustable





8300 Size 35-47

8302 Size 48-51

CE, EN ISO 20347:2012 OB, A, FO, SRA
microfiber white // lightweight Mono-PU-sole with high slip resistance // heel patch microfiber // heel strap foldable, adjustable



8330 Size 35-47

8332 Size 48-51

CE, EN ISO 20347:2012 OB, A, FO, SRA
microfiber black, perforated // lightweight Mono-PU-sole with high slip resistance // heel patch microfiber // heel strap foldable, adjustable



8200 Size 35-47

8202 Size 48-51

CE, EN ISO 20347:2012 OB, A, FO, SRA
smooth leather white // double-layer PU-sole // abrasion and slip resistant PU-outsole // heel patch microfiber // lining leather // heel strap foldable, adjustable



8310 Size 35-47

8312 Size 48-51

CE, EN ISO 20347:2012 OB, A, FO, SRA
microfiber black // lightweight Mono-PU-sole with high slip resistance // heel patch microfiber // heel strap foldable, adjustable



8320 Size 35-47

8322 Size 48-51

CE, EN ISO 20347:2012 OB, A, FO, SRA
microfiber white, perforated // lightweight Mono-PU-sole with high slip resistance // heel patch microfiber // heel strap foldable, adjustable



8400 Size 35-47

CE, EN ISO 20347:2012 OB, A, FO, SRA
smooth leather white // double-layer PU-sole // abrasion and slip resistant PU-outsole // heel patch microfiber // lining leather // heel strap non-foldable, adjustable // instep strap adjustable





9200 Size 36-47

CE, EN ISO 20347:2012 OB, A, FO, WRU, SRC
smooth leather white // rubber sole with high slip resistance //
insole leather // heel strap foldable, adjustable



9110 Size 36-47

CE, EN ISO 20347:2012 OB, A, FO, WRU, SRC
smooth leather black // rubber sole with high slip resistance //
insole leather // heel strap non-foldable, adjustable // instep
strap adjustable



9220 Size 36-47

CE, EN ISO 20347:2012 OB, A, FO, WRU, SRC
smooth leather white // rubber sole with high slip resistance //
heel patch leather // heel strap non-foldable, adjustable



9252 Size 36-47

CE, EN ISO 20347:2012 OB, A, FO, WRU, SRC
smooth leather black // rubber sole with high slip resistance //
insole leather // heel strap foldable, adjustable



9100 Size 36-47

CE, EN ISO 20347:2012 OB, A, E, FO, WRU, SRC
smooth leather white // rubber sole with high slip resistance //
insole leather // heel strap non-foldable, adjustable // instep
strap adjustable



9240 Size 36-47

CE, EN ISO 20347: 2012 OB, A, FO, SRC
smooth leather white **with grey breathable Air-Mesh
textile inlays** // rubber sole with high slip resistance // heel
patch leather // heel strap non-foldable, adjustable



NATURE



8011 Size 34-43

CE, EN ISO 20347:2012 OB, A, FO, SRC
smooth leather white // rubber sole with high slip resistance //
cork footbed, leather covered // 2 instep straps, adjustable //
buckle fastening



8022 Size 34-43

CE, EN ISO 20347:2012 OB, A, FO, SRC
pull-up leather aubergine // rubber sole with high slip
resistance // cork footbed, leather covered // 2 instep straps,
adjustable // buckle fastening



8040 Size 34-48

CE, EN ISO 20347:2012 OB, A, FO, SRC
smooth leather white // rubber sole with high slip resistance //
cork footbed, leather covered // heel strap non-foldable,
adjustable // instep strap adjustable // buckle fastening



8020 Size 34-43

CE, EN ISO 20347:2012 OB, A, FO, SRC
pull-up leather black // rubber sole with high slip resistance //
cork footbed, leather covered // 2 instep straps, adjustable //
buckle fastening



4090 Size 34-48

CE, EN ISO 20347:2012 OB, A, FO, SRC
smooth leather white // rubber sole with high slip resistance //
cork footbed, leather covered // heel strap non-foldable,
adjustable // 2 instep straps, adjustable // velcro fastening



8045 Size 34-48

CE, EN ISO 20347:2012 OB, A, FO, SRC
smooth leather black // rubber sole with high slip resistance //
cork footbed, leather covered // heel strap non-foldable,
adjustable // instep strap adjustable // buckle fastening



Reflexor

**5830**

Size 40-46

gents

CE, EN ISO 20347:2012 OB, A, E, SRB
smooth leather white, perforated // PU-sole with high slip resistance // heel strap foldable, adjustable // instep area with elastic band // lining Air-Mesh // 2 replaceable Reflexor® insoles (art. 3566/ 3569)

**5840**

Size 40-46

gents

CE, EN ISO 20347:2012 OB, A, E, SRB
smooth leather black, perforated // PU-sole with high slip resistance // heel strap foldable, adjustable // instep area with elastic band // lining Air-Mesh // 2 replaceable Reflexor® insoles (art. 3566/ 3569)

**5750**

Size 40-46

gents

CE, EN ISO 20347:2012 O1, SRB
smooth leather white // PU-sole with high slip resistance // instep area with elastic band // 2 replaceable Reflexor® insoles (art. 3566/ 3569)



Reflexor

**6874**

Size 36-43

**ladies
COMFORT WIDTH**

CE, EN ISO 20347:2012 OB, A, E, SRB
smooth leather white // PU-sole with high slip resistance //
heel strap non-foldable, adjustable // instep area with elastic
band // replaceable Reflexor® insole (art. 3572)

**6903**

Size 36-42

ladies

CE, EN ISO 20347:2012 OB, A, E, SRB
smooth leather white // PU-sole with high slip resistance //
instep area with elastic band // 2 replaceable Reflexor® insoles
(art. 3565/ 3567)

**6910**

Size 36-42

ladies

CE, EN ISO 20347:2012 O1, SRB
smooth leather black // PU-sole with high slip resistance //
2 replaceable Reflexor® insoles (art. 3565/ 3568)

**6902**

Size 36-42

ladies

CE, EN ISO 20347:2012 OB, A, E, SRB
smooth leather white // PU-sole with high slip resistance //
triple velcro fastening // 2 replaceable Reflexor® insoles (art.
3565/ 3567)

**6913**

Size 36-42

ladies

CE, EN ISO 20347:2012 OB, A, E, SRB
smooth leather black // PU-sole with high slip resistance //
instep area with elastic band // 2 replaceable Reflexor® insoles
(art. 3565/ 3568)

**6900**


Size 36-42

ladies

CE, EN ISO 20347:2012 O1, SRB
smooth leather white // PU-sole with high slip resistance //
2 replaceable Reflexor® insoles (art. 3565/ 3567)



air
cushion



2620 Size 35-47

CE, EN ISO 20347:2012 O1, SRA
grained leather white // air cushion PU-sole with high slip resistance // lining with Silver Point // replaceable insole (art. 3551)



2600 Size 35-47

CE, EN ISO 20347:2012 O1, SRA
grained leather white // air cushion PU-sole with high slip resistance // replaceable insole (art. 3551)



2700 Size 39-47

CE, EN ISO 20347:2012 O1, SRA
grained leather white // air cushion PU-sole with high slip resistance // replaceable insole (art. 3551)



light



1130 Size 35-48

CE, EN ISO 20347:2012 OB, A, E, FO, SRA
smooth leather white // lightweight PU-sole with high slip resistance // lining with Silver Point // heel strap non-foldable, adjustable // instep area with elastic band // replaceable acc Wave insole (art. 3558)



1141 Size 35-48

CE, EN ISO 20347:2012 OB, A, E, FO, SRA
smooth leather white // lightweight PU-sole with high slip resistance // lining with Silver Point // heel strap foldable, adjustable // instep area with elastic band // replaceable acc Wave insole (art. 3558)



1120 Size 35-48

CE, EN ISO 20347:2012 O1, FO, SRA
smooth leather white, perforated // lightweight PU-sole with high slip resistance // lining with Silver Point // double velcro fastening // replaceable acc Wave insole (art. 3559) // reflective stripes



1135 Size 35-48

CE, EN ISO 20347:2012 OB, A, E, FO, SRA
smooth leather black // lightweight PU-sole with high slip resistance // lining with Silver Point // heel strap non-foldable, adjustable // instep area with elastic band // replaceable acc Wave insole (art. 3558)



1180 Size 35-43

micro

CE, EN ISO 20347:2012 OB, A, E, FO, SRA
microfiber white // lightweight PU-sole with high slip resistance // lining with Silver fibre // heel strap non-foldable, adjustable, removable // instep area with lacing // replaceable acc Wave insole (art. 3558)



1151 Size 35-48

COMFORTEMP®

CE, EN ISO 20347:2012 O2, FO, SRA
smooth leather white // lightweight PU-sole with high slip resistance // temperature regulating lining Comfortemp® // replaceable acc Wave insole (art. 3559)



**1128**

Size 35-48

CE, EN ISO 20347:2012 O2, FO, SRA
microfiber white // lightweight PU-sole with high slip resistance // lining with Silver fibre // instep area with elastic band // replaceable acc Wave insole (art. 3559)

**1129**

Size 35-48

CE, EN ISO 20347:2012 O2, FO, SRA
microfiber black // lightweight PU-sole with high slip resistance // lining with Silver fibre // instep area with elastic band // replaceable acc Wave insole (art. 3559)

**1137**

Size 35-48

CE, EN ISO 20347:2012 O2, FO, SRA
smooth leather black // lightweight PU-sole with high slip resistance // lining with Silver Point // instep area with elastic band // replaceable acc Wave insole (art. 3559)

**1132**

Size 35-48

CE, EN ISO 20347:2012 O2, FO, SRA
smooth leather white // lightweight PU-sole with high slip resistance // lining with Silver Point // instep area with elastic band // replaceable acc Wave insole (art. 3559)

**1126**

Size 35-48

CE, EN ISO 20347:2012 O2, FO, SRA
microfiber white // lightweight PU-sole with high slip resistance // lining with Silver fibre // replaceable acc Wave insole (art. 3559)

**1133**

Size 35-48

CE, EN ISO 20347:2012 O2, FO, SRA
smooth leather white // lightweight PU-sole with high slip resistance // lining with Silver Point // replaceable acc Wave insole (art. 3559) // reflective stripes





6760 Size 35-48

CE, EN ISO 20347:2012 O1, FO, SRC
functional leather white with honeycomb pattern // water-repellent // scratch-proof // foamed PU midsole // TPU sole with high slip resistance // lining with Silver Point // replaceable acc Wave insole (art. 3575)



6761 Size 35-48

CE, EN ISO 20347:2012 O1, FO, SRC
functional leather black with honeycomb pattern // water-repellent // scratch-proof // foamed PU midsole // TPU sole with high slip resistance // lining with Silver Point // replaceable acc Wave insole (art. 3575)



6762 Size 35-48

CE, EN ISO 20347:2012 O1, FO, SRC
functional leather blue with honeycomb pattern // water-repellent // scratch-proof // foamed PU midsole // TPU sole with high slip resistance // lining with Silver Point // replaceable acc Wave insole (art. 3575)



6764 Size 35-48

CE, EN ISO 20347:2012 O1, FO, SRC
functional leather red with honeycomb pattern // water-repellent // scratch-proof // foamed PU midsole // TPU sole with high slip resistance // lining with Silver Point // replaceable acc Wave insole (art. 3575)



6763 Size 35-48

CE, EN ISO 20347:2012 O1, FO, SRC
functional leather navy blue // water-repellent // scratch-proof // foamed PU midsole // TPU sole with high slip resistance // lining with Silver Point // replaceable acc Wave insole (art. 3575)





6751 Size 35-48

CE, EN ISO 20347:2012 O2, FO, SRC
smooth leather black // foamed PU midsole // TPU sole with
high slip resistance // lining on steam® // replaceable acc Wave
insole (art. 3575)



6770 Size 35-48

CE, EN ISO 20347:2012 O2, FO, SRC
smooth leather white // foamed PU midsole // TPU sole with
high slip resistance // lining with Silver Point // replaceable
acc Wave insole (art. 3575) // reflective stripes



6771 Size 35-48

CE, EN ISO 20347:2012 O2, FO, SRC
smooth leather black // foamed PU midsole // TPU sole with
high slip resistance // lining with Silver Point // replaceable
acc Wave insole (art. 3575) // reflective stripes



6750 Size 35-48

CE, EN ISO 20347:2012 O2, FO, SRC
smooth leather white // foamed PU midsole // TPU sole with
high slip resistance // lining on steam® // replaceable acc
Wave insole (art. 3575)





6780 Size 35-48

CE, EN ISO 20347:2012 O2, FO, SRC
microfiber white // foamed PU midsole // TPU sole with high slip resistance // lining with Silver Point // replaceable acc Wave insole (art. 3575)



6782 Size 35-48

CE, EN ISO 20347:2012 O2, FO, SRC
microfiber grey/ blue // foamed PU midsole // TPU sole with high slip resistance // lining with Silver Point // replaceable acc Wave insole (art. 3575)



6783 Size 35-48

CE, EN ISO 20347:2012 O2, FO, SRC
microfiber grey/ red // foamed PU midsole // TPU sole with high slip resistance // lining with Silver Point // replaceable acc Wave insole (art. 3575)



6784 Size 35-48

CE, EN ISO 20347:2012 O2, FO, SRC
microfiber grey/ yellow // foamed PU midsole // TPU sole with high slip resistance // lining with Silver Point // replaceable acc Wave insole (art. 3575)



AUTO-CLAVABLE

**9600**

Double sizes* 35/36 - 45/46

CE, EN ISO 20347:2012 A, E, SRC*
special material white // sole with high slip resistance // heel
strap foldable, adjustable // autoclavable // double sizes

**9610**

Double sizes* 35/36 - 45/46

CE, EN ISO 20347:2012 A, E, SRC*
special material blue // sole with high slip resistance // heel
strap foldable, adjustable // autoclavable // double sizes

**9620**

Double sizes* 35/36 - 45/46

CE, EN ISO 20347:2012 A, E, SRC*
special material green // sole with high slip resistance // heel
strap foldable, adjustable // autoclavable // double sizes

**9630**

Double sizes* 35/36 - 45/46

CE, EN ISO 20347:2012 A, E, SRC*
special material orange // sole with high slip resistance // heel
strap foldable, adjustable // autoclavable // double sizes



Information

*Double size:

Please use the size in bold when placing your order

35/36, 37/38, 39/40, 41/42, 43/44, 45/46

washable at 60°C:

cleaning with water
(no additives)



autoclavable at 121°C:

Thermal treatment in
overload pressure area
(no additives)





OUR SAFETY SHOES



Your safety is our goal!

In many production steps and works in production the employees are faced with accident and health risks which can only be avoided by internal and organizational actions. If violations of the feet by crashing into something, being trapped or by stepping into something sharp or pointed have to be taken into account, safety shoes are necessary to lower these risks and have to be worn.

On the following pages you find a selection of Abeba safety shoes all certified according to the EN ISO 20345:2011 standard. Whether it is a clog, a sandal, a slip-on or a boot get convinced by the quality and remarkable wearing comfort of Abeba safety shoes!

Classic



1001 Size 36-46

CE, EN ISO 20345:2011 SB, A, E, FO, WRU, SRA
microfiber white // sole with high slip resistance // lining and
heel patch microfiber // heel strap non-foldable, adjustable //
instep strap adjustable // buckle fastening



1011 Size 36-46

CE, EN ISO 20345:2011 SB, A, E, FO, WRU, SRA
microfiber black // sole with high slip resistance // lining and
heel patch microfiber // heel strap non-foldable, adjustable //
instep strap adjustable // buckle fastening



light



1032 Size 35-48

CE, EN ISO 20345:2011 S2, SRA
smooth leather white // lightweight PU-sole with high slip
resistance // lining with Silver Point // instep area with elastic
band // replaceable acc Wave insole (art. 3557)



1037 Size 35-48

CE, EN ISO 20345:2011 S2, SRA
smooth leather black // lightweight PU-sole with high slip
resistance // lining with Silver Point // instep area with elastic
band // replaceable acc Wave insole (art. 3557)



1029 Size 35-48

CE, EN ISO 20345:2011 S2, SRA
microfiber black // lightweight PU-sole with high slip
resistance // lining with Silver fibre // instep area with elastic
band // replaceable acc Wave insole (art. 3557)



1028 Size 35-48

CE, EN ISO 20345:2011 S2, SRA
microfiber white // lightweight PU-sole with high slip resistance
// lining with Silver fibre // instep area with elastic band //
replaceable acc Wave insole (art. 3557)





1027 Size 35-48

CE, EN ISO 20345:2011 S2, SRA
microfiber black // lightweight PU-sole with high slip resistance // lining with Silver fibre // replaceable acc Wave insole (art. 3557)



1026 Size 35-48

CE, EN ISO 20345:2011 S2, SRA
microfiber white // lightweight PU-sole with high slip resistance // lining with Silver fibre // replaceable acc Wave insole (art. 3557)



1033 Size 35-48

CE, EN ISO 20345:2011 S2, SRA
smooth leather white // lightweight PU-sole with high slip resistance // lining with Silver Point // replaceable acc Wave insole (art. 3557) // reflective stripes



1038 Size 35-48

CE, EN ISO 20345:2011 S2, SRA
smooth leather black // lightweight PU-sole with high slip resistance // lining with Silver Point // replaceable acc Wave insole (art. 3557) // reflective stripes



1024 Size 35-48

CE, EN ISO 20345:2011 S2, SRA
smooth leather black // lightweight PU-sole with high slip resistance // lining with Silver Point // double velcro fastening // replaceable acc Wave insole (art. 3557) // reflective stripes



1023 Size 35-48

CE, EN ISO 20345:2011 S2, SRA
smooth leather white // lightweight PU-sole with high slip resistance // lining with Silver Point // double velcro fastening // replaceable acc Wave insole (art. 3557) // reflective stripes



**1760** Size 35-48

CE, EN ISO 20345:2011 S1, SRC
functional leather white with honeycomb pattern // water-repellent // scratch-proof // foamed PU midsole // TPU sole with high slip resistance // lining with Silver Point // replaceable acc Wave insole (art. 3576)

**1761** Size 35-48

CE, EN ISO 20345:2011 S1, SRC
functional leather black with honeycomb pattern // water-repellent // scratch-proof // foamed PU midsole // TPU sole with high slip resistance // lining with Silver Point // replaceable acc Wave insole (art. 3576)

**1730** Size 35-48

CE, EN ISO 20345:2011 S1, SRC
smooth leather white, microperforated // foamed PU midsole // TPU sole with high slip resistance // lining with Silver Point // replaceable acc Wave insole (art. 3576) // reflective stripes





1770 Size 35-48

CE, EN ISO 20345:2011 S2, SRC
smooth leather white // foamed PU midsole // TPU sole with high slip resistance // lining with Silver Point // replaceable acc Wave insole (art. 3576) // reflective stripes



1771 Size 35-48

CE, EN ISO 20345:2011 S2, SRC
smooth leather black // foamed PU midsole // TPU sole with high slip resistance // lining with Silver Point // replaceable acc Wave insole (art. 3576) // reflective stripes



1752 Size 35-48

CE, EN ISO 20345:2011 S2, SRC
smooth leather black/ brown // foamed PU midsole // TPU sole with high slip resistance // lining on steam® // replaceable acc Wave insole (art. 3576) // reflective stripes



1780 Size 35-48



CE, EN ISO 20345:2011 S2, SRC
microfiber white // foamed PU midsole // TPU sole with high slip resistance // lining with Silver Point // replaceable acc Wave insole (art. 3576)



1785 Size 35-48



CE, EN ISO 20345:2011 S2, SRC
microfiber grey // foamed PU midsole // TPU sole with high slip resistance // lining with Silver Point // replaceable acc Wave insole (art. 3576)



1781 Size 35-48



CE, EN ISO 20345:2011 S2, SRC
microfiber black // foamed PU midsole // TPU sole with high slip resistance // lining with Silver Point // replaceable acc Wave insole (art. 3576)





2120

Size 36-48

micro

Size 49-52

micro

CE, EN ISO 20345:2011 SB, A, E, WRU, SRC
microfiber white // shock absorbing PU midsole // PU-outsole
with high slip resistance // lining with Silver fibre // heel strap
non-foldable, adjustable // instep area adjustable with elastic
band // replaceable acc Wave insole (art. 3582)



2131

Size 36-48

micro

Size 49-50

micro

CE, EN ISO 20345:2011 S2, SRC
microfiber white // shock absorbing PU midsole // PU-outsole
with high slip resistance // lining with Silver fibre //
replaceable acc Wave insole (art. 3580)



2280

Size 36-48

micro

CE, EN ISO 20345:2011 S3, SRC*
microfiber white // shock absorbing PU midsole // PU-outsole
with high slip resistance // cold insulating lining // triple velcro
fastening // cushioned ankle supports // replaceable acc Wave
insole (art. 3580) // metal free penetration resistance //
reflective stripes



* certification submitted



2125

Size 36-48

micro

Size 49-52

micro

CE, EN ISO 20345:2011 SB, A, E, WRU, SRC
microfiber black // shock absorbing PU midsole // PU-outsole
with high slip resistance // lining with Silver fibre // heel strap
non-foldable, adjustable // instep area adjustable with elastic
band // replaceable acc Wave insole (art. 3582)



2130

Size 36-48

micro

Size 49-52

micro

CE, EN ISO 20345:2011 S2, SRC
microfiber white // shock absorbing PU midsole // PU-outsole
with high slip resistance // lining with Silver fibre // instep area
adjustable with elastic band // replaceable acc Wave insole (art.
3580)



2281

Size 36-48

micro

CE, EN ISO 20345:2011 S3, SRC*
microfiber black // shock absorbing PU midsole // PU-outsole
with high slip resistance // cold insulating lining // triple velcro
fastening // cushioned ankle supports // replaceable acc Wave
insole (art. 3580) // metal free penetration resistance //
reflective stripes





2140 Size 36-48 

CE, EN ISO 20345:2011 S2, SRC
microfiber white // shock absorbing PU midsole // PU-outsole with high slip resistance // lining with Silver fibre // double velcro fastening // replaceable acc Wave insole (art. 3580)



2616 Size 36-48 
Size 49-50 

CE, EN ISO 20345:2011 S1, SRC
microfiber white, perforated // shock absorbing PU midsole // PU-outsole with high slip resistance // lining with Silver fibre // double velcro fastening // replaceable acc Wave insole (art. 3580) // reflective stripes



Protektor



2232 Size 36-48

CE, EN ISO 20345:2011 S3, SRC*
smooth leather black // PU sole with high slip resistance // lining leather // double velcro fastening // penetration resistance




1645 Size 36-48

CE, EN ISO 20345:2011 S3, SRC*
smooth leather white // PU sole with high slip resistance // lining leather // triple velcro fastening // cushioned ankle supports // penetration resistance // reflective stripes



2230 Size 36-48

CE, EN ISO 20345:2011 S3, SRC*
smooth leather white // PU sole with high slip resistance // lining leather // double velcro fastening // penetration resistance



1655 Size 36-48

CE, EN ISO 20345:2011 S3, SRC*
smooth leather black // PU sole with high slip resistance // lining leather // triple velcro fastening // cushioned ankle supports // penetration resistance // reflective stripes



CRAWLER



4504

Size 36-48

micro

CE, EN ISO 20345:2011 S2, SRC
microfiber white/ black // seamless upper // foamed PU
midsole // TPU sole with extremely high slip resistance // lining
with Silver Point // replaceable acc Wave insole (art. 3577) //
aluminium toe-cap (200 joules) // reflective stripes



4501

Size 36-48

micro

CE, EN ISO 20345:2011 S2, SRC
microfiber black/ blue // seamless upper // foamed PU
midsole // TPU sole with extremely high slip resistance // lining
with Silver Point // replaceable acc Wave insole (art. 3577) //
aluminium toe-cap (200 joules) // reflective stripes



4500

Size 36-48

micro

CE, EN ISO 20345:2011 S2, SRC
microfiber white/ grey // seamless upper // foamed PU mid-
sole // TPU sole with extremely high slip resistance // lining
with Silver Point // replaceable acc Wave insole (art. 3577) //
aluminium toe-cap (200 joules) // reflective stripes




4502

Size 36-48

micro

CE, EN ISO 20345:2011 S2, SRC
microfiber black/ red // seamless upper // foamed PU mid-
sole // TPU sole with extremely high slip resistance // lining
with Silver Point // replaceable acc Wave insole (art. 3577) //
aluminium toe-cap (200 joules) // reflective stripes





see page 20, Art. 6760
and see page 27, Art. 1760

Your ABEBA-distributor: